WEST STANISLAUS IRRIGATION DISTRICT

116 E Street PO Box 37 Westley, CA 95387



(209)894-3091 (209)894-3383 Fax wsidoffice@weststanislausid.org

March 11, 2021

Subject: 2020 Summary of San Joaquin River diversion report for West Stanislaus Irrigation District

During the 2020 year, West Stanislaus Irrigation District (WSID) diverted under its license #003957 a total of 66,803 acre-feet of water at a maximum rate of 285 cubic feet per second. WSID is unable to divert all of the water to which it is entitled from the San Joaquin River pursuant to its license for several reasons. First, water levels during the summer period have been reduced by operation of the Central Valley Project Friant Division, and low water levels prevent the District from pumping the full diversion amount to which it is entitled. Additionally, pumping and mechanical failures during the irrigation season sometimes limit the District's ability to utilize its licensed right. Also, water quality problems restrict the use of the District's appropriative rights for some purposes. Groundwater was pumped during the year in the amount of 3,032 AF. Table 1 below summarizes the District diversions in 2020.

Table 1. 2020 Diversions for West Stanislaus Irrigation District.	Table 1.	2020 Diversions for	or West Stanislaus	Irrigation District.
---	----------	---------------------	--------------------	----------------------

Month	WSID SJR Diverted, AF	CVP Diverted, AF	Ground Water Diversions, AF	Total SJR Appropriations, AF
January	0	0	0	0
February	2,619	0	0	2,619
March	2,918	0	0	2,918
April	4,981	0	0	4,981
May	10,992	0	208	11,200
June	10,107	96	635	10,838
July	13,246	0	808	14,054
August	9,149	0	344	9,493
September	5,261	0	0	5,261
October	4,367	0	0	4,367
November	1,679	0	0	1,679
December	1,484	0	1,037	2,521
Total	66,802	96	3,032	69,930

Not included in the above table is groundwater recharged from canals through seepage and water lost to evaporation, water that would have served land that was left fallow, water saved through conservation projects, and groundwater from private wells conveyed through District facilities. Also not provided in the above table is water accounted for as beneficially used due to conservation efforts as discussed on attachment with subject heading "Summary of water conservation efforts by West Stanislaus irrigation District.", groundwater recharged from canals through seepage and water lost to evaporation, water that would have otherwise been used on fallow land, conserved water, and private groundwater conveyed by the District are included in Table 2 below because that water is beneficially used pursuant to California law. Data provide in the table below is the total water appropriated by the District and should count toward the maximum beneficial use of the District under its license in 2020.

Appropriation Type	<u>*Total SJR</u> Appropriations, AF
**WSID SJR Diversion	66,802
CVP Diversion	96
District Groundwater	
Diversions	3,032
Private Groundwater Use	399
Fallow Land	557
Conservation Projects	5,735
***Canal Seepage	392
***Canal Evaporation	115
<u>Total:</u>	77,128

Table 2. WSID 2020 Summary of San Joaquin River Appropriations.

* 2020 Total SJR appropriations should include all types listed in this table.

**Measured at the pump station at the end of the 2 mile long Intake Canal.

***Loss between SJR Point of Diversion and measuring point at end of the

2 mile Intake Canal.

Details of canal seepage and evaporation are provided in Table 3 below. Seepage and evaporation rates are found from references provided in the table. These sources are commonly accepted by U.S. Bureau of Reclamation and C.A. Department of Water Resources. Seepage and evaporation losses shown below occur between the Point of Diversion off the San Joaquin River and measuring point located at the head of the distribution laterals supplied by the Main Canal. This additional quantity of water should be included in San Joaquin River appropriations by the District in 2020.

Table 3. Seepage and Evaporation Loss in WSID Distribution Facilities.

Seepage Quantities in WSID Distribution Facilities

Source: Kishel, J. (1989), Seepage and Contraction Joints In Concrete Canal Lining. Journal of Irrigation and Drainage Engineering, Vol. 115, No. 3 Sonnichsen, R.P., (1993), Seepage Rates From Irrigation Canals. Water Resources Program, Open-File Technical Report

Days of Irrigation: 312

Sites	<u>Length,</u> <u>mi.</u>	<u>Wetted</u> Width, ft.	<u>Top</u> <u>Water</u> <u>Surface</u> <u>Area, Ft.²</u>	<u>Wetted</u> <u>Perimeter,</u> <u>Ft.</u>	<u>Wetted</u> <u>Perimeter</u> <u>Area, Ft.²</u>	<u>Seepage,</u> <u>Ft.³/day</u>	<u>Annual</u> <u>Seepage,</u> <u>AF</u>
Intake							
Canal	2	80	844,800	74	781440	54,701	392

Evaporation Quantities in WSID Distribution Facilities

Source: Mean Monthly, Seasonal, and Annual Pan Evaporation for the

United States, NOAA Technical Report NWS 34, Washington, D.C.,

December 1982, 22 p, Station Index 9565

<u>Month</u>	<u>Evap.</u> <u>Rate</u> in./mo.	<u>Intake</u> <u>Canal</u> Evap., AF
January	1.38	2
February	2.32	4
March	4.61	7
April	6.65	11
May	8.98	15
June	10.55	17
July	10.91	18
August	9.06	15
September	7.4	12
October	5.16	8
November	2.44	4
December	1.54	2
	Total:	<u>115</u>

In addition, in 1928 WSID entered into an agreement with Burkhard Investment Company¹ as amended June 7, 1939, wherein the parties acknowledged that the Burkhard lands had installed diversion and irrigation works to divert 45 cfs of riparian water for irrigation of riparian land. In that agreement, WSID agreed to "pump the said water to which the [Burkhard land] is entitled. . ." for irrigation. That agreement is still binding between the parties, and imposes upon WSID the continuing obligation to dedicate 45 cfs of pumping capacity to the Burkhard riparian lands. Water diversion and use for the White Lakes Mutual Water Company is represented by a Statement of Water Diversion and Use filed by that entity.

¹ The White Lake Mutual Water Company was formed on September 11, 1941, and represents the Burkhard properties by virtue of its Articles of Incorporation and Bylaws.